

Shigellosis

- Reported cases of disease, 1999-2003
- 5-year rate of disease, 1999-2003
- Reported cases by age group, 2001-2003
- Reported cases by gender, 2001-2003
- Reported cases by county, 2001-2003
- Reported cases by month, 2001-2003

Reported Cases of Shigellosis Rhode Island, 1999-2003



Shigellosis Rates, Rhode Island, 1999-2003



Rates are based on 2000 Census

Note: Since the number of cases of shigellosis is less than 50 for one year, information has been combined for three years to allow demonstration of trends for the following figures:

Reported Cases of Shigellosis by age group, Rhode Island, 2001-2003						
Age Group	Number of reported	Percent	Rate ¹ of disease per			
	cases	(%)	100,000			
< 1	1	1.5	2.7			
1-4	10	15.2	6.4			
5-9	12	18.2	5.6			
10-19	4	6.1	0.9			
20-29	8	12.1	2.0			
30-39	13	19.7	2.7			
40-49	7	10.6	1.5			
50-59	8	12.1	2.3			
60-74	2	3.0	0.6			
75+	1	1.5	0.4			
TOTAL	66	100	2.1			

¹Denominators for computing rates for RI were based on 2000 Census counts obtained from the U.S. Census Bureau.


Reported cases of Shigellosis by gender, Rhode Island, 2001-2003						
Gender	Number of reported cases	Percent (%)	Rate ¹ of disease per 100,000			
Males	31	47.0	2.1			
Females	35	53.0	2.5			
TOTAL	66	100	2.1			

¹Denominators for computing rates for RI were based on 2000 Census counts obtained from the U.S. Census Bureau.

Reported cases of Shigellosis by County, Rhode Island, 2001-2003						
County	Number of reported cases	Percent	Rate ¹ of			
		(%)	disease per			
			100,000			
Bristol	3	4.5	2.0			
Kent	4	6.0	0.8			
Newport	1	1.6	0.4			
Providence	55	83.3	2.9			
Washington	1	1.6	0.3			
Unknown	2	3.0				
TOTAL	66	100	2.1			

¹ Denominators for computing rates for RI were based on 2000 population counts obtained from the U.S. Census Bureau.

Reported Cases of Shigellosis by month, Rhode Island, 2001-2003



Questions regarding these data can be directed to the Office of Communicable Diseases at (401) 222-2577